

WHAT IS CLAIMED IS:

1. A child carrier attachment for a bicycle, comprising a support device and a child's seat mounted on said support device, said support device comprising:

an elongate support;

a rear fastener on said support, said rear fastener comprising a rear clamping device which is adjustable into gripping engagement with a saddle post of the bicycle to secure said support device to said saddle post; and

a front fastener on said support, said front fastener comprising a front clamping device which is adjustable into gripping engagement with a steering post of said bicycle;

said support device being adjustable to vary the spacing of said front and rear clamping devices.

2. A child carrier attachment as claimed in claim 1, wherein said elongate support is adjustable in length.

3. A child carrier attachment as claimed in claim 2, wherein said elongate support comprises a pair of elongate support members which are mutually longitudinally adjustable.

4. A child carrier attachment as claimed in claim 1, wherein said front and rear clamping devices are adjustable to fit posts of various diameters.

5. A child carrier attachment as claimed in claim 4, wherein said rear clamping device comprises a pair of rearwardly projecting arms, and spacer members on said arms, said spacer members being spaced apart by a gap to receive the saddle post therebetween, and being adjustable to vary the size of said gap.

5

6. A child carrier attachment as claimed in claim 5, wherein said rear clamping device includes a pair of threaded retainers and a pair of threaded members extending through said arms into threaded engagement with said threaded retainers for tightening said arms together.

10

7. A child carrier attachment as claimed in claim 6, further comprising resilient longitudinally compressible sleeves on said threaded members between said arms.

8. A child carrier attachment as claimed in claim 5, wherein said spacer members are of a hollow rectangular cross-section and receive said arms therethrough, said spacer members having opposite walls of different thicknesses, whereby said gap is adjustable by repositioning said spacer members on said arms.

15

9. A child carrier attachment as claimed in claim 1, wherein said front clamping device comprises a forwardly open yoke and a curved clamp bracket having opposite ends, fasteners securing said opposite ends to the respective arms of said yoke and at least one curved spacer member located between said bracket and said yoke.

20

10. A child carrier attachment as claimed in claim 1, wherein said seat is adjustable in position along said support.

25

11. A child carrier attachment as claimed in claim 10, including a releasible seat fastener securing said seat in position along said support.

12. A child carrier attachment as claimed in claim 11, wherein said seat fastener comprises a threaded member, said seat having a slot receiving said threaded member and allowing adjustment of said seat along said support on slackening of said threaded member.
13. A child carrier attachment as claimed in claim 1, including a headrest attachment on said seat, said headrest attachment and said seat having mutually interengageable portions.
14. A child carrier attachment as claimed in claim 13, wherein said seat is adjustable in position along said support and said headrest attachment is secured to said seat so as to be displaceable with said seat relative to said support device.
15. A child carrier attachment for a bicycle, comprising a support device and a child's seat mounted on said support device, said support device comprising:
- an elongate support;
- a rear fastener on said support, said rear fastener comprising a saddle post clamp, said saddle post clamp having means for adjusting said saddle post clamp for gripping engagement with saddle posts of various diameters; and
- a front fastener on said support, said front fastener comprising a steering post clamp and said steering post clamp including means for adjusting said steering post clamp for gripping engagement with bicycle steering posts of various diameters;

16. A child carrier attachment as claimed in claim 15, wherein said elongate support comprises front and rear support bars, and said front and rear support bars are telescopically adjustable for varying the spacing of said saddle post clamps and said steering post clamp from one another.

5

17. A child carrier attachment as claimed in claim 15, wherein said seat is adjustable in position along said support and including a releasable seat fastener securing said seat in position along said support.

10

18. A child carrier attachment as claimed in claim 15, including a headrest attachment on said seat, said headrest attachment and said seat having mutually interengageable portions.

15

19. A child carrier attachment as claimed in claim 15, wherein said seat is adjustable in position along said support, said child carrier attachment including a releasable seat fastener securing said seat in position along said support, and wherein said headrest attachment is secured to said seat so as to be displaceable with said seat relative to said support device.

20